



AN ISO 9001 : 2015 CERTIFIED COMPANY
ESSENCE TAPE INTERNATIONAL PVT. LTD.



INDUSTRIAL



RETAIL



CORPORATE




E-COMMERCE



ADHESIVE TAPE

Product
Catalogue
2025-26

We Bond Your *Relationship*



OUR BRANDS



DHB



WHO WE ARE..?

We started our journey in the year 2004, with manufacturing and exporting various adhesive tapes for different commercial, industrial and household purposes. we have our own developed brand as ETI. Our range of products comprises of various tapes. We develop these adhesive tapes using high - technology machines, special grades of adhesives & formulas which makes our adhesive tapes good to use on wide range of application with satisfactory results. our adhesive tapes are made up of quality raw materials and high technology formulas which make them durable and quite functional for day to day use. We have employed a highly experienced team of quality controllers. our well-developed infrastructure base has contributed towards the fantastic growth and the success of our organization. We have categorized this unit into various sub-departments such as procurement, production, quality control, sales & marketing, etc. These departments are handled by our competent and highly qualified professionals, who ensure hassle free operations and the quality products to you.

Company is under vertical expansion to meet the market demand and growing with a fast pace. We always have passion & emphasis on research and new development which keeps us stay ahead



AN ISO 9001 : 2015 CERTIFIED COMPANY

Development



On Time Delivery



Core Value



**RESPECT
FOR ALL**




- Commitment
- Value for Money
- Guaranteed length & Quality
- Faster Processing
- Respect for All
- Hardworking with constant self Improvement

CONTENT



ITEM	PAGE NO.
HOTMELT TISSUE TAPE	05
SOLVENT TISSUE TAPE	05
BOPP PACKAGING TAPE	07
BOPP COLOR TAPE	07
BOPP PRINTED TAPE	07
DOUBLE SIDED FOAM TAPE	09
EPDM FOAM SEAL TAPE	09
PE FOAM TAPE	09
SPACER TAPE	10
NITRILE FOAM TAPE	10
GASKET TAPE	10
DHB TAPE	11
ANTI SKID TAPE	13
DUCT / BOOK BINDING TAPE	14-15
SECURITY TAPE	16
CROSS FILAMENT TAPE	17
ALUMINIUM FOIL TAPE	17
FSK FOIL TAPE	17
SURFACE PROTECTION TAPE	18
APPLICATION TAPE	19
STRETCH FILM	19
HPDE TAPE	19
RETRO REFLECTIVE TAPE	20
FRICTION TAPE	20
FLOOR MARKING TAPE	21
PVC INSULATION TAPE	22
WIRE HARNESS TAPE	23
FINE LINE MASKING TAPE	24
MASKING TAPE	25
HIGH TEMPERATURE SUBLIMATION TAPE	26
PRE MASKING TAPE	27
LUMINOUS TAPE	27
CRAFT PAPER TAPE	28
PAPER REINFORCEMENT TAPE	29
MULTI STICK TAPE	30
MIRROR MOUNTING TAPE	30
SINGLE SIDE CLOTH TAPE	31
DOUBLE SIDE CLOTH TAPE	31
RAYON TAPE	31
TEFLON / HEAT SEALING TAPE	32
DRY WALL JOINT TAPE	33
POLYESTER TAPE	34
THERMAL CONDUCTIVE TAPE	35
PTFE / THREAD SEAL TAPE	36
COPPER FOIL CONDUCTIVE TAPE	37
HDPE TAPE	37
SHUTTERING TAPE	38
NANO / MAGIC TAPE	38
BUTYL TAPE	39
HIGH TEMPERATURE TAPES	40

Tissue Tape



Hotmelt Tissue Tapes



Tissue Tapes are lightweight tissues coated with a acrylic based adhesive. Similar to double sided paper products, double sided tissue provides conform ability and more stability than adhesive transfer tapes. Double Sided Tissue is recommended for mounting light objects and may be used to laminate cork, paper, plastic, and textiles.

ETI Tissue Tapes are made from non woven-tissue paper coated on both sides with acrylic adhesive or hot melt rubber adhesive and laminated with release paper. Tissue Tapes are made with wide range of adhesives to get different adhesion levels and applications.

Solvent Tissue Tapes




ETI 100 & 110 Double sided Solvent base tissue tapes.

- Anti-rebounding & Anti-warping.
- Suitable for punching name plate & film switches fixing.

ETI 5000 Double sided Solvent base tissue tapes.

- High intensity up to 180° C heat resist and 160 micron double sided tissue tape.
- Hing adhesive no-woven tissue offer superior adhesive strength and excellent in fixing of parts.
- Anti-rebounding & Anti-warping.
- Bounding punched metal name plates.
- Bounding ABS decorative panels and fixing plastic display penal.

BOPP Tape



BOPP Packaging Tape



Manufactured using best and high grade quality BOPP Film and Adhesive with advanced technology in compliance with international standards. It fits perfectly in the tape dispenser and can be used for packing, binding, sealing and much more.



BOPP Colour Tape


Color tape can be used for general purpose carton sealing where colors for coding and / or identifications are necessary. Combines high tensile strength with specially formulated, aggressive water base acrylic adhesive. This product has an excellent bond to most surfaces, with good moisture resistance. Recommended Uses : Ideal for identification and color coding where printability is not required. Available in many colors.

BOPP Printed Tape




Custom Printed Tape can replace costly printed cartons, reduce pilfering and tampering, and turn your cartons into highly visual promotional tools. ETI tapes in-house printers can print your company logo, promotional message or handling instructions on carton sealing tape, in a variety of stock tape colors and inks. Printed tape spotlights your company, product or logo from the time the carton leaves your plant until it reaches the consumer.

Foam Tape



Double Sided Foam Tape

- Various grades available for wide range of bonding applications.
- Tape with both side adhesive coating suitable for wall mount pictures, cable tie-mounts and multi-applications.
- Suitable for clean and smooth walls, ceramic tiles and wooden surfaces.
- Tailor made shapes are available.



EPDM Foam Seal Tape




- The foam seal tape is made from EPDM. It has excellent resistance to heat and weather aging, ozone, chemical, water and deformation, and can be used at temperatures ranging from -50 to 150 .
- This tape has upgraded strong grid adhesive backing, non-degumming and waterproof, stick firmly. Due to strong adhesive backing, it will not easily peel off.
- Widely used in various door seal and window insulation, furniture, electrical cabinets, cars, speakers, toys, handicrafts, sports equipments, garage door, rv, louvers, air conditioner, etc. It can also apply soundproof and waterproof in families.

PE Foam Tapes For HVAC JACKETING

- Duct wrapping as a good insulation material to protect Heat and humidity.
- High elongation.
- Available in different sizes and thickness coated with strong acrylic adhesive to have high holding power and temperature resistance.



Spacer Tapes



- Specially used for aluminum doors, window, steel, aluminum surface and panel fixing.
- Highly suitable thermal insulation thus seals against water, vapour and noise.
- Technical foam coated with exclusive high grade acrylic adhesive to ensure excellent performance.
- Provides high bonding to both the surfaces.
- This tape comes with liner and made of EVA, PE foams. Its application replaces the uses of clips thus avoids labour cost.
- Product Application: - Highly suitable for structural glazing as a spacer.



Nitrile Foam Tape

- A Black, single sided elastic closed cell tape.
- Designed to efficiently insulate sheet metal panels & pipes in commercial & industrial applications (HVAC equipment & systems).
- It acts as a seal gasket between sheet metal swell as cushion against vibration & shock, deaden sound and is easily compressed & conformed.
- Reduces vibration & blocks noise.
- Indoor Air/Airstream friendly insulation-Fiber free, formaldehyde free.
- Used as HVAC Equipment panels, fiber free insulation alternative, metal to metal seal/gaskets/gap filler and wrapping chilled water lines.
- Available in various thickness i.e. 3mm, 6mm & 10mm.

Gasket Tape



- The Gasket Single Sided Foam Tape is Anti Shock And Sound Proof With Heat Resistance For Metal, Plastic, Paper, Wood And Silicon.
- It's Offers Good Initial Adhesion And Good Resistance To Humidity, Mild Acids, Oil And Grease For Gasketing, Sealing, Baffling, Cushioning And Insulation.
- It works as a cushion and fills empty spaces.
- Products Application :- insulation sealing and sound dumping.



DHB Tape

Acrylic Tape

- Easy To Assemble, No Drilling, Riveting, Welding Or Screw Fastening.
- Seals And Bonds, Vibration And Fatigue Resistant
- Trim Attachment, Laminated Glass, Acrylic, Plexiglass And Lexan
- Acrylic Foam Glazing Tape Is Typically Used To Seal The Area Between The Glass Panel And Window Sash Or Door Frame To Prevent Water And Air Leaks.
- Bonds Dissimilar Materials.
- Product Application : - Structure Glazing

Available in Transparent & Gray

Anti Skid Tape





Anti Skid Tapes

Transparent, Black and Yellow & Black

- It is easily installed in seconds to any smooth, clean, dry and oil free surface.
- ETI anti skid tape minimise the risk of slip or skid on the smooth surface
- Widely used on staircase to minimise the risk of slip
- Enhances personal safety - prevents slips and falls at home
- Easy to apply - Superior adhesive



Anti Skid Tape

Glow in Dark / Luminous

- Extra strong bonding and high quality
- Has good viscous force and adhesion, good wear resistance and wet resistance. Not applicable for use on paper type product.
- It can also be used for the tour buses, ships, trucks, trailers, aircraft ladder, large or small power equipment.
- ETI Anti Skid tapes are made up of superior quality material that doesn't easily water or tear, and also requires negligible maintenance after installation

Anti Skid Tape

Wet Area



- water resistant tape can be used near swimming pool , bathroom to avoid slip or skid.
- Ideal for wet areas - bare foot traffic like bathtubs, bathrooms, kitchen.



Duct / Book Binding Tapes

- Water Resistance tape
- Sealing heating and ventilation (HVAC) ducts
- Almost Can Be Used for Multi Purpose Applications.
- Useful for sealing heating and cooling ducts.
- Excellent for repair, crafting and imaginative projects. High performance strength and adhesion characteristics

Waterproof PE Coated Fabric transparent duct tape which is backed by high adhesion (rubber adhesive) and very high tack property with hand tearable to feature. We offer multi-purpose, no- residue tape with heavy-duty, fabric reinforced adhesive ensures long-lasting hold. The tape is water-resistant, and ideal for applying on a jet engine, electrical appliances, drying vent, fixing all kinds of glass damages, and other binding and repairing uses. Our duct tapes are available in white, yellow, silver, and black options.

FEATURES

- High strength.
- Very high bonding adhesive.
- Hand tear able.
- Water Proof

APPLICATION

- ETI DT4850 is basically the right and recommended product for heavy duty seaming and sealing application for ducting, having rough or dirty surfaces.
- Most commonly used for such applications due to its high holding power across temperature ranges.
- It is good for heavy duty application
- Used in construction industry for AC ducting

SPECIFICATION

Item Code	DT-250S
Standard Length	50 Mtr
Color	Grey
Core Id	76 mm
Thickness (mm)	0.26 ± 10%
Adhesion To Steel	1200 min. gf/25mm





Security Tapes

ETI Security tapes are innovative, premium quality void tapes that offer protection from pilferage and theft during storage and/or transit till the time it reaches the consignee.

Any kind of tempering or unauthorized opening of consignment of packaging can easily be identified by use of ETI Security Tapes.

- Available in various sizes and colours.
- Printing of Logo and messages.
- Once a fixed, it can not be reused. If removed forcibly or otherwise, it would leave the surface printed with words, 'opened void' or customized security message, all over the surface wherever it was pasted.
- This Tape makes the envelope / Box, on which it was pasted, truly tamper-proof. Because this tape can not be re-pasted
- Best for security purpose

Cross Filament Tape



A Self adhesive Tape which has been specially designed for applications requiring a high breaking strength. This tape has a film backing and rubber adhesive. Woven glass fibers reinforce the backing, making this product extremely strong when used for heavy packing where it can replace metal and polypropylene strapping to great advantage.

Application:


- For Packing of heavy weight cartons
- For Palletizing
- For Strapping
- For Sealing of metal coils or pipe bundling.

Aluminium Foil Tape

- For general purpose seaming, patching and sealing.
- Highly Suitable for sealing off air conditioning and cool/warm air flow ducting.
- For sealing joints in ducting providing a flame retardant & vapor-proof barrier.
- Excellent adhesion on dry/clean surfaces on metal and other surfaces.
- These Foil Tapes can be applied for both high temperature/low temperatures.
- Sizes available from 25mm/50mm/75mm/100 mm in width to customized length.
- Available from 25 micron, 30 micron, 40 micron, 50 micron and 100 micron. in thickness.
- Product Application : - HVAC duct wrap, protective masking and electroplating.



FSK Foil Tape



- FSK which stands for Foil Scrim Kraft is used as jacket facing for glass wool, rock wool, PU foam and other insulation to protect them against vapor moisture, in order to work more effectively.
- Use for sealing FSK duct board. Excels in demanding temperature and humidity applications.
- Long lasting adhesion on clean/dry surfaces.
- Full bond within 24 hours. With release paper.
- To seal joints in air conditioning industry requiring high strength.
- Products Application: - HVAC ducting purpose.


Surface Protection Tape



**FOR FINISHED
SURFACE**



**FOR FURNITURES
& WOOD**



**FOR STEEL SHEETS
& ALUMINUM**




FOR CARPETS



**FOR GLASS
& WINDOW**

- We offer a wide variety of superior quality Surface Protection Films, which are widely used for providing complete protection to surface damages.
- Future:
- Leaves no glue on the target surface
- Moisture resistance
- High elasticity
- Surface protection film benefits
- Protection surface from pollution, scratches during the process of products, transportation, and installation.
- Leaves no glue on the target surfaces.

- Our film doesn't just products, it projects the efficiently with a clear film that doesn't sacrifice for aesthetics.
- Please request for technical & quotation as per your requirement.
- Technical Specification:
- For technical specification in surface protection film due to different surface all together we require min.1 square feet pcs of product for trial as per application, then only we can provide specification you are requested to send us your inquiry with complete details.



Application Tape

- Available in paper and transparent film. Many grades and brand available.
- The paper products can be used for standard graphical applications and can also be used for laser masking.
- The standard and premium paper application tapes are of very high quality as well as the film products which are very clear.
- The excellent transparency makes the film range the perfect application tape for multi-color signs.

Stretch Film

- High Gauge 23 Micron
- 300 % Saving on Packing Cost Compared to BOPP Tapes
- No Residue on removal
- Manufactured from Pure Virgin Material
- Recyclable
- Available in LLDP, PVC & Food grade.



HDPE Tapes

HDPE tape are used in Jointing jobs in the connected industries and where HDPE cloth and bags are used so this tape blends in each of its colours and acts as edging in monsoon sheds, covering of trucks as rebiting ends and etc.

- Heavy duty, water resistance packing tape made from HDPE Fabric.
- High tensile strength, strong adhesion and surface adherence.
- For packing, sealing, jointing, reinforcement, patching of HDPE bags / cartons, wire / rope bundling, etc.
- Available in various colours.



PVC Insulation Tapes

- ETI PVC Electrical tapes are number one in quality and comes with full size with 130 micron thickness.
- Our PVC in is fire retardant with backing material which can resist higher voltage and higher temperature.
- Suitable for use in all kinds of electrical and mechanical applications, such as cable insulation, wire bundling, and reinforcing.
- Extremely ffllexible with good adhesion and conformability.
- Available in various colors & Size.




Wire Harness Tapes

Prot PVC is RoHS compliance. It is laminated with D/S tissue tape on the edges. PVC protection sheet with double coated tape on one side for bundling of engine harness.

- Available in different thickness to suit your specs
- FR Grade Application
- High mechanical strength
- High voltage resistance
- High temperature resistance
- Ideal product for cable harness industry
- REACH compliance available against requirement.

Retro Reflective Tape

A Retro Reflective Tape plays a warning and reminder role, mainly for the road transport facilities, vehicles, bikes, bicycles, cars, motorcycles, ships, fairways, stage, a variety of channels and related mechanical equipment.



Friction Tape

- Good tensile strength
- Friction / Insulation Tape With Excellent Adhesion
- Short term and high temperature resistance
- Good chemical and abrasion resistance
- Highly conformable





Floor Marking Tape

- ETI Floor Marking Tape are made of heavy duty polyester or vinyl that resists oil, moisture, solvents and scuffing - and can even withstand forklift traffic
- Excellent flexibility and good adhesion on uneven shapes and irregular surfaces
- High bonding strength
- Exhibits excellent adhesion, tack and good cohesion strength
- Rubber based adhesive for high adhesion application
- Available in Red, Red/White, Yellow, Yellow/Black, Green, Green/White, Blue, Black, White.

Fine Line Masking Tape

High temperature fine line tape is a vinyl or nylon paint masking tape for fascia, rocker panels, two-tone and other multiple color application where critical paint break lines are required.

- The confirmable backing is designed for uniform stretching to help create better paint lines.
- The adhesive and backing work together to reduce paint seepage to a minimum.
- Can be used successfully with most solvent or water base paint systems.
- It will give outstanding colour separation due to thinness of product.
- Smooth trimmed edges create a continuous straight paint line




Technical Specifications:

# Type of Testing	Typical Value
1 Tape Thickness	130-140 Micron
2 Backing	Vinyl or Nylon
3 Adhesive Type	Natural Rubber Latex
4 Adhesion to Steel (kg/100mm)	150
5 Tensile Strength (kg/100mm)	2.8
6 Temperature Resistance	200 /hr

Application & Usage:

This premium tape is used for applications such as lane marks, automotive paint spraying, bandoleering and electroplating. The heat resistance is 200 for 1 hour.






Masking Tapes

- For Holding, Bundling & Sealing By Carpenter & Industrial Staff, Ideal For Wall, Furniture & Automobile Painting.
- Bonds Firmly , Removes Easily.
- Easily Removed Without Leaving Residue Or Damaging the Surface To Which It Is Applied.
- Available in various size and quality.
- Applications: Automotive Paint Shop & Carpenters.





High Temperature Sublimation Tape

- For the protection of PCB golden finger during wave soldering / dip soldering process
- Dimensionally stable at high temperature
- For wave soldering during circuit board assembly
- High insulation, high temperature resistance, acid and alkali-resistance, low electrolysis,
- mechanically sound, crocking resistance, tear-resistance, without rest on surface when tear
- Extensive use as electrical insulation for transformer, motor, coil, capacitor and frequency conversion power supply in electronic industry
- Available in various sizes(5mm-500mm)

Pre Masking Tape



- Tape & film combined in one 20 mm Masking tape is applied along one edge of high density, translucent non-porous masking film
- Easy & Quick to apply and remove! Unfolds pre-folded masking film to cover and protect various surfaces from paint drips, over-spray and dust
- Electrostatically treated masking film to resist over-spray flaking, allows for easy re-coat & clean-up during paint application
- Professional 20 mm masking tape provides clean removal without adhesive residue by 30 Days

Luminous Tape

- The 30 min. charge under light gives, 6-8 Hours period of Glow
- Sticks to Any Smooth solid surface
- Non-toxic, Self Adhesive
- Glows in the dark (After Charging under any Light source)
- Tape can be used for stairs marking emergency areas with illuminating doors and walls
- Waterproof, Kid Safe, durable and eco friendly





Craft Paper Tape

- Available in reinforced and non-reinforced forms
- Already Activated Adhesive no need to use water
- Eco friendly 100% Recyclable
- Can Be Use for Shipping in Plastic ban state
- Available in various size & length





Paper Reinforcement Tapes

- This is a paper tape reinforced with filament to give it strength
- Water activated adhesive
- It has silicone free backing
- Highly conformable & 100% recyclable
- Available in brown colour with various sizes
- Pre-Printed and customization available.



Multi Stick Tape



- Heavy Duty UV and Moisture Resistant Ideal for outdoor Use No more Drilling, Nails, Glues, Screws or Rivets Bonds to most Surface, Plastic, Metal, Wood, Glass, Brick, Ceramic, Stone & More.
- Hold 30kg per meter of tape
- Temperature resistant from -20°C to +90°C
- Available in Multiple size



Mirror Mounting Tape

- No more Nails, Glues, Screws, Revets, No Drilling, No. Sealant, Save Time, Easy to apply, Hold mirror to base without screws.
- Hold 30kg per meter of tape
- Temperature resistant from -20°C to +90°C
- Available in Multiple size



Cloth Tape

Single Side



We offer a wide range of cotton tapes, plain cotton tapes, cotton insulation tape and rubber tape which are a combination of fabric & rubber. These plain cotton tapes, cotton insulation tapes and rubber insulation tapes are manufactured taking in to consideration requirement of the industry type, its is available in various length, width, colors, etc. In addition, custom designed products are also provided to our clients. Our product range includes:

We manufacturer plain White & Black cotton tapes in a spectrum of length, width and in different finishes. Plain cotton tapes are available in innumerable length, width and thickness to suit the varying requirements of customers. We provide cotton tapes in different widths and thickness to enable them for usage in a number of industries.

Double Side Cloth Tape (Plate Mounting Tape)

Double sided cloth tape is a reliable, high shear resistant, double sided fabric tape coated with rubber adhesive. It has a Paper & polyester liner which unwind smoothly and ensure easy release.

Application areas:

- Mounting of rubber stereos in flexo graphic printing.
- Affixing of carpets . Etc.,

Also available Double sided Polyester tape, Double sided tissue tape, Double sided cloth tape, Double foam tape, Double sided carpet tape, Heat resistant double sided tape, Heavy duty double sided tape etc...



Rayon Tape



ETI manufactures specialised cloth based adhesive tapes for the electrical industry, which are pressure-sensitive, used to insulate electrical wires and cables. Rayon cloth adhesive tapes are specialized for various specific purposes, and are majorly used in the Electrical Industry only. They come in a pink colour, making them differentiated. Electrical adhesive tapes are highly adhesive and offer excellent absorption, as they are coated with rubber adhesive.



Teflon / Heat Sealing Tape

- High Temperature resistable, Strong anti-corrosion property (by this advantage, it can be used for dyeing)
- Good Anti-stick Property on surface (by this can be used for de-moulding)
- Good Viscosity, Long Service Time, (coefficient of viscosity can be customized according to different requirements)
- It is 300C heat resistant and insulation.





Dry Wall Joint Tapes

- Fiber glass mesh for strong joints
- Eliminates Plaster and bubbles
- Eliminates Pre Plastering
- Quick & Easy
- Ideal to cover joints, cracks & holes



Ployster Tape



- These tapes are ideal for bonding a wide variety of similar and dissimilar materials such as rubbers, metals, glass, papers, paints, and many plastics. Some application ideas include: Splicing of films, foils, papers, and fabrics Holding objects where high shear forces are encountered Holding grinding and polishing pads Miscellaneous joining and holding uses
- This tape also has excellent adhesion, good temperature and humidity resistance.
- This tape is mainly used in commercial graphics, led and sticking posters on smooth surfaces.
- It also is widely used in sticking metal labels permanently without using rivets. This comes with a red MOPP liner.


Technical Specifications:

Properties	Unit of Measurement	Specification
Total Thickness	Micron	205 Mic
Adhesion to steel	GMS / 2.5 CM	1500gms
Adhesive	-	Solvent base
Colour	-	Transparent
Initial Tack	Mm	≤ 100
Holding Power	Hr	≥ 48
Heat Resistance	°C	150 °C

APPLICATION AND USAGE :

Lab Test Conditions

Temperature	: 20+-5 °C
Humidity	: 60+-10 %RH
Shelf Life	: 12 Months



Thermal Conductive Tape



This Double Sided Thermal Tape is widely used for commercial purposes. To attain the maximum satisfaction of customers, we provide this product at pocket friendly price.

Features:

- UL94V-0 rated flame retardance
- Ease of use, adhere with light pressure
- Good bonding on uneven surfaces
- Silicone-free(Acrylic material)

Application:

- Electronic device and heat sink attachment
- LED heat dissipating material attachment
- Cellular phone battery mounting



PTFE / Thread Seal Tape



- (PTFE) Thread seal tape commonly used in plumbing for sealing pipe threads.
- It is easy to wind around pipe threads.
- This PTFE Teflon Tape is easy to use and has good tightness.
- It is designed for both air and water piping applications.
- Industrial standard quality.



Copper Foil Conductive Tape



Applications

- Electrical connection between surfaces (sheets / foils)
- Die-cuts
- Mounting transparent foils, windows
- Shielding in housings
- Cable shielding
- Temporary shielding during tests
- Antistatic floor

HDPE Tape



- Plastic Bora Tape
- Very Easy To Use This Tape Packing, Jointing, Sealing, Reinforcement, Rope Bundling,
- High Adhesive Strength, Tamper Proof Tape
- HDPE Rubber Adhesive Tape

Shuttering Tape



- stop RCC water leakage.
- Enhance Life of RCC
- Helps in shuttering joints to improve the concrete quality.
- Hold power with concrete slabs
- Strong Adhesive

Nano / Magic Tape

- The two sided carpet tape is very easy to remove and will not damage your walls or surfaces and leave no residue, Washable and Infinitely reusable, reusable after washing off dust
- The gel tape can stick to almost any smooth, clean and non-porous surface and stick tightly there without falling off.
- The 2 sided carpet tape can hold items up to 1 KG (2.2 LBS) on smooth surfaces it so that can stick whatever you want, such as Mobile phone, key, pens, decorations, wall hangings, kitchen tools, full painting or tablet.
- The gel pad grip tape is not stick scissors, is easily to use and cut any size and any length you want! This sticky pads is perfect for any job
- The gel tape double sided is made of nano PU gel, durable, double-sided adhesive, transparent, will not leave traces on the wall or any surface. Anti slip, can be cut, washable, reusable.



Butyl Tape



- **STRONG ADHESIVE TAPE:** Tape adopts high polymer synthesis butyl glue, which owns strong adhesive ability. the ETI aluminum foil tape waterproof can stick on all kinds of surface, including glass, cement ground, tile, plastic, metal and wood in water and so on.
- **EXCELLENT WATERPROOF:** ETI waterproof adhesive tape is excellent moisture and weather resistant.
- **DURABLE & PERMANENT USE:** Wear-resistant layers, non-slip & durable
- **EASY TO INSTALL:** Our butyl rubber seal tape can be installed easily, quickly and ideally on tight corners, textured, uneven, and most jagged surfaces.
- **WIDE APPLICATION:** Suitable for roof water leakage solution , window sealing, gutters, down spouts, boats, personal water crafts, canoes, outdoor equipment, mobile homes, PVC & plumbing pipes, sprinkler systems, doors, walls, seams, vents, air ducts, HVAC systems, DIY projects, etc.
- **EASY TO USE:** Before attaching the water leak tape, keep the target surface clean, dry and oil-free. peel off the released film and then apply this butyl sealant tape to the surface. requires no extra glue. works well in preventing shakes, sealing, waterproofing, fire retardant and insulation.



We bond your Relationship

ECO FRIENDLY ASSURED QUALITY

New Range of Eco Friendly Adhesive Tapes

www.essencetape.com

High Temperature Tape



Green Polyester Tape



Yellow Polyester Tape



Teflon Tape



Polyimide Tape



Thermal Conductive Tape



EMI Electrically Tape



Copper Tape



Aluminium Tape



Acetate Rayon Tape



Glass Cloth Tape



Masking Tape



Butyl Tape

INTERNATIONALLY APPROVED



AN ISO 9001 : 2015 CERTIFIED COMPANY

The Essence of Adhesive

ESSENCE TAPE INTERNATIONAL PVT. LTD.

Address : 103, Pocket 15, Sector-22,
Rohini, New Delhi - 110086 (INDIA)

Phone : +91- 1171-600-900

Email : sales@essencetape.com

Web. : www.essencetape.com



SCAN QR CODE

OUR OFFICES

DELHI | MUMBAI | KOLKATA | CHENNAI | HARYANA | BANGALORE | HYDERABAD | PUNE | VARANASI

